

SPECIFICATION SERIES

WWW.TRUEMFG.COM

PROFESSIONAL GRADE UPRIGHT REFRIGERATION



SPEC SERIES®



CABINET TYPES: REFRIGERATOR FREEZER DUAL TEMP HEATED CABINET REACH-IN PASS-THRU ROLL-IN ROLL-THRU

STR-STA-STG SERIES

STR SERIES

Stainless steel door, front & sides.

INTERIOR

Stainless steel side walls, back, floor, ceiling & door liner.

REACH-IN SHELVING

(1) Interior kit option factory installed per full section.(4) Different interior kits available.

STA SERIES

Stainless steel door, front & sides.

INTERIOR Aluminum side walls & back. Stainless steel floor & ceiling.

REACH-IN SHELVING (3) Heavy duty, chrome plated wire shelves per section. (4) Different interior kits available..

STG SERIES

Stainless steel door, front & aluminum sides.

INTERIOR Aluminum side walls & back. Stainless steel floor & ceiling.

REACH-IN SHELVING

(3) Heavy duty, grey PVC coated wire shelves per section.(4) Different interior kits available..





















MODEL NUMBER NOMENCLATURE SYSTEM

| STR | 2 | R | РТ | - | 25 | - | 25 |
|-----|-----|-----|-----|---|-----|---|-----|
| (1) | (2) | (3) | (4) | - | (5) | - | (6) |

Position (1) Interior & Exterior Metal Finish

- STR Stainless Steel Exterior and Interior
- STA Stainless Steel Exterior and Stainless Steel/Aluminum Interior
- STG Stainless Steel/Aluminum Exterior and Interior

Position (2) Number Of Sections

- 1 1 Section Cabinet
- 2 2 Section Cabinet

Position (3) Type Of Cabinet

- R Refrigerator
- F Freezer
- DT Dual Temp
- H Heated Cabinet

Position (4) Front Of Cabinet Door Configuration

PT Pass-Thru RI/RT Roll-in/Roll-Thru

Position (5) Front Of Cabinet Door Configuration

- **# S/HS** Full Height Stainless /Half Height Stainless Door
- **# G/HG** Full Height Glass/Half Height Glass Door

Position (6) Back Of Cabinet Door Configuration

- # S/HS Full Height/Half Height Stainless Door # G/HG Full Height Glass/Half Height Glass Door

Example: STR2RPT-2S-2S

- (1) Stainless Steel Interior & Exterior
- (2) Two Section
- (3) Refrigerated Pass-thru
- (4) Two Full Height Stainless Doors on the Front of the Unit
- (5) Two Full Height Stainless Doors on the Back of the Unit

Only present on pass-thru # Indicates number of doors present Front of cabinet is indicated by exterior thermometer # Indicates number of doors present

FEATURES:

Foamed-in-place using Ecomate. A high density, polyurethane insulation with zero ozone depletion potential (ODP) and zero global warming potential (GWP).

Lifetime guaranteed heavy-duty, all metal working door handles.

Positive seal self-closing door with 120° stay open feature. Lifetime guaranteed external cam lift door hinges, four (4) per door section.

Lifetime guaranteed bolt style door lock.

Exterior digital temperature display, available with either °F or °C.

LED interior lighting.

NSF/ANSI Standard 7 compliant for open food product.

Energy efficient, "Low-E", thermal insulated glass on glass door models.

5" (127 mm) diameter plate castors - locks provided on front set.

Top mounted unit positioned out of food zone to maximize storage capacity.

Self-contained system.





INTERIOR STORAGE OPTIONS — All interior storage options are available individually or in kits.

Type 1



16 ga. Stainless Steel For Bottom Support of: (1) 18" x 26" pan or (2) 14" x 18" pans

Type 2



Chrome Plated Steel Rod Type For Rim Support of: (1) 18" x 26" pan Note: one pair of #2 tray slides accommodates one half section. *for light duty applications only.




16 ga. Stainless Steel Angle Type for Bottom Support of: (1) 18" x 26" pan or (2) 14" x 18" pans or (2) 12" x 20" pans

| Trays Slide | Spacings | | | | | | |
|----------------------------|--------------------------------------|----|----|----|----|--|--|
| #1 Tray Slides | 2" | 3" | 4" | 5" | б" | | |
| Behind full length door | 28 | 19 | 14 | 11 | 10 | | |
| Behind upper half door | 13 | 9 | 7 | 5 | 5 | | |
| Behind lower half door | 13 | 9 | 7 | 5 | 5 | | |
| #2 Tray Slides | 1 ¹ / ₂ " O.C. | | | | | | |
| Behind full length door | 38 | | | | | | |
| Behind upper half door | 18 | | | | | | |
| Behind lower half door | 18 | | | | | | |
| Universal Tray S | | 4" | 5" | 6" | | | |
| Behind full length door | | | 14 | 11 | 9 | | |
| Behind upper half door | | | 6 | 5 | 4 | | |
| Behind lower half door | | | 6 | 5 | 4 | | |

Option Type 4



Chrome Shelves: Standard in STR & STA Series refrigerators & freezers. Stainless steel shelves also ave Stainless steel shelves also available.



PVC Coated Shelves with Shelf Supports PVC Coated Shelves: Standard in STG refrigerators & freezers.

VERTICAL LED DISPLAY (VLD)

STR • STA • STG

A new option was recently introduced to True's all new Spec Series[®]. VLD, or Vertical LED Display, is now available as an option on select STR, STA, and STG refrigerators. Made with the same quality materials as the rest of the Spec Series[®] line, the VLD model is a great way to display wine, beer or any other high-end products. LED lights run the lengths of the doors to provide optimal lighting, which makes product stand out to the eye. True's LED lights are an energy efficient option, providing a superior image without the energy costs of past lighting options. The VLD comes standard with three shelves per section with the option of wine shelves to display multiple bottles of wine.

FEATURES



VERTICAL LED DISPLAY



BOLT STYLE DOOR LOCK



ELECTRONIC CONTROL WITH AUDIBLE ALARM



ALL METAL DOOR HANDLE LIFETIME WARRANTY









Wine shelves only available for VLD models.



CORRECTIONAL PACKAGE

True's Spec Series[®] reach-in or roll-in models are available with special features which are designed to secure the cabinet and its components from any unintended purpose; essential in maintaining a safe kitchen environment.







(Interior)



















SPECIFICATION SERIES





* See spec sheets for specifics on transition of individual models.

TRUE MANUFACTURING CO., INC. 2001 East Terra Lane • O'Fallon, MO 63366-4434 • ph. 636.240.2400 toll free 800.325.6152 • fax 636.272.2408 • parts fax 636.272.9471





WWW.TRUEMFG.COM