



# MAXX ICE

ICONIC BRANDS, LEADING INNOVATION

**Self-Contained & Modular  
Ice Machines  
Hotel Ice Dispensers  
Ice Storage Bins**



010621

     
[www.maxx-ice.com](http://www.maxx-ice.com)

3355 Enterprise Avenue • Suite 160 | Fort Lauderdale, FL 33331  
Tel: 954.202.7419 | Fax: 954.202.7337 | [www.maxx-ice.com](http://www.maxx-ice.com)

A DIVISION OF  
THE LEGACY COMPANIES 



**MIM25**  
14.6"W x 17.9"D x 24.5"H

**MIM25-0**  
14.6"W x 17.9"D x 24.5"H

**MIM50 / MIM50P**  
14.6"W x 25"D x 33.3"H

**MIM50V**  
14.6"W x 23.4"D x 33.3"H

**MIM50-0**  
14.6"W x 25"D x 33.3"H

**MIM50P-0**  
14.6"W x 25"D x 33.3"H

**Models:**

**MIM25** - Indoor Ice Machine; stainless steel door, black cabinet

**MIM25-0** - Outdoor Ice Machine; Stainless steel exterior

**Features:**

- Ideal for residential applications
- Produces up to 22 lbs (10.8 kg) of ice daily
- Storage capacity: 12 lb (5.4 kg)
- Air-cooled condenser
- No drain required



**Models:**

**MIM50** - Indoor Ice Machine; stainless steel door, black cabinet

**MIM50P** - Premium Indoor Ice Machine; stainless steel door, black cabinet

**MIM50V** - Indoor Ice Machine; black door, black cabinet

**MIM50-0** - Indoor/Outdoor Ice Machine; stainless steel exterior

**MIM50P-0** - Premium Outdoor Ice Machine; stainless steel exterior

**Features:**

- Ideal for residential and commercial applications
- Produces up to 65 lbs (29.5 kg) of ice daily
- Storage capacity: 25 lbs (11 kg)
- Solid state controls
- Self-cleaning mode
- Air-cooled compressor



MODEL #	DAILY ICE PRODUCTION (70°F AIR / 50°F WATER)	AMP DRAW (MAKING / HARVESTING)	NET WEIGHT / SHIPPING WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MIM25	19 lbs (8.6 kg)	1.8A / 1.5A	60 lbs (27 kg) 66 lbs (30 kg)	R-134a 1.98 oz (56 g)	115V / 60Hz / 1Ph
MIM25-0	17.1 lbs (7.8 kg)	1.8A / 1.5A	60 lbs (27 kg) 66 lbs (30 kg)	R-134a 2.4 oz (68 g)	115V / 60Hz / 1Ph
MIM50	60 lbs (27.2 kg)	3A / 3.6A	84 lbs (38 kg) 93 lbs (42 kg)	R-134a 3.88 oz (110 g)	115V / 60Hz / 1Ph
MIM50V	50 lbs (22.7 kg)	3A / 4A	84 lbs (38 kg) 93 lbs (42 kg)	R-134a 3.88 oz (110 g)	115V / 60Hz / 1Ph
MIM50P	65 lbs (29.5 kg)	3A / 4A	92 lbs (41.7 kg) 101 lbs (45.8 kg)	R-134a 3.88 oz (110 g)	115V / 60Hz / 1Ph
MIM50P-0	65 lbs (29.5 kg)	3A / 4A	92 lbs (41.7 kg) 101 lbs (45.8 kg)	R-134a 3.88 oz (110 g)	115V / 60Hz / 1Ph
MIM50-0	60 lbs (27.2 kg)	3A / 4A	83 lbs (37 kg) 93 lbs (42 kg)	R-134a 3.88 oz (110 g)	115V / 60Hz / 1Ph

# SELF-CONTAINED ICE MACHINES



**MIM75**  
16.7"W x 21"D x 32.7"H

**MIM100 / MIM130**  
22"W x 21"D x 32.7"H

**MIM80 / MIM85H**  
16.7"W x 21"D x 32.7"H

**MIM120 / MIM125H**  
22"W x 21"D x 32.7"H

**Model:**  
**MIM75 / MIM100 / MIM130** - Indoor Ice Machine;  
stainless steel exterior, black door & trim

- Produces up to:  
MIM75: 75 lbs (34 kg) of ice cubes daily  
MIM100: 110 lbs (50 kg) of ice cubes daily  
MIM130: 130 lbs (59 kg) of ice cubes daily



Bullet Cube

- Storage capacity:  
MIM75: 25 lbs (11 kg)  
MIM100 / MIM130: 35 lbs (15.9 kg)

**Model:**  
**MIM80 / MIM85H** - Indoor Ice Machine;  
stainless steel exterior, black door & trim

- Produces up to:  
MIM80: 88 lbs (40 kg) of ice cubes daily



Full Dice Cube



MIM85H: 88 lbs (40 kg) of ice cubes daily

Half Dice Cube

- Storage capacity:  
ALL MODELS: 25 lbs (11 kg)

**Models:**  
**MIM120 / MIM125H** - Indoor Ice Machine;  
stainless steel exterior, black door & trim

- Produces up to:  
MIM120: 120 lbs (54.4 kg) of ice cubes daily



Full Dice Cube



MIM125H: 125 lbs (56.7 kg) of ice cubes daily

Half Dice Cube

- Storage capacity:  
ALL MODELS: 35 lbs (15.9 kg)

## All Models Feature:

- Exterior is constructed of stainless steel and black trim
- Front breathing design
- Air-cooled compressor



MODEL #	ICE TYPE	DAILY ICE PRODUCTION (70°F AIR / 50°F WATER)	AMP DRAW (NOMINAL / MAX)	NET WEIGHT / SHIPPING WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MIM75	Bullet	75 lbs (34 kg)	6.7A / 11.2A	93 lbs (42 kg) 104 lbs (47 kg)	R-134a 6.35 oz (180 g)	115V / 60Hz / 1Ph
MIM100	Bullet	110 lbs (50 kg)	7.3A / 11.7A	106 lbs (48 kg) 125 lbs (57 kg)	R-134a 9.17oz (260 g)	115V / 60Hz / 1Ph
MIM130	Bullet	130 lbs (59 kg)	7.5A / 11.8A	106 lbs (48 kg) 129 lbs (58.5 kg)	R-134a 9.17 oz (260 g)	115V / 60Hz / 1Ph
MIM80	Full Dice	88 lbs (40 kg)	3.8A / 4.7A	93 lbs (42 kg) 104 lbs (47 kg)	R-134a 4.66 oz (132 g)	115V / 60Hz / 1Ph
MIM120	Full Dice	120 lbs (54.4 kg)	7.5A / 11.8A	110 lbs (50 kg) 129 lbs (58.5 kg)	R-134a 8.47oz (240 g)	115V / 60Hz / 1Ph
MIM85H	Half Dice	88 lbs (40 kg)	3.8A / 4.7A	93 lbs (42 kg) 104 lbs (47 kg)	R-134a 4.66 oz (132 g)	115V / 60Hz / 1Ph
MIM125H	Half Dice	125 lbs (56.7 kg)	7.5A / 11.8A	110 lbs (50 kg) 129 lbs (58.5 kg)	R-134a 8.47oz (240 g)	115V / 60Hz / 1Ph



**MIM250**  
24"W x 24"D x 38.6"H



**MIM265**  
24"W x 24"D x 38.6"H

**Model:**

**MIM250** - Indoor Ice Machine; stainless steel exterior, black door & trim

- Produces up to 260 lbs (118 kg) of ice daily
- Storage capacity: 75 lbs (34 kg)



**All Models Feature:**


- Exterior is constructed of stainless steel and black trim
- Front breathing design
- Air-cooled compressor



**Model:**

**MIM265H** - Indoor Ice Machine; stainless steel exterior, black door & trim

- Produces up to 265 lbs (120 kg) of ice daily
- Storage capacity: 75 lbs (34 kg)



MODEL #	ICE TYPE	DAILY ICE PRODUCTION (70°F AIR / 50°F WATER)	AMP DRAW (NOMINAL / MAX)	NET WEIGHT / SHIPPING WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MIM250	Full Dice	260 lbs (118 kg)	9.2A / 12A	144 lbs (65 kg) 160 lbs (72.5 kg)	R-134a 22.9 oz (649 g)	115V / 60Hz / 1Ph
MIM265H	Half Dice	265 lbs (120 kg)	9.2A / 12A	144 lbs (65 kg) 160 lbs (72.5 kg)	R-134a 22.9 oz (649 g)	115V / 60Hz / 1Ph



**MIM452**  
30"W x 24"D x 21"H



**MIM475H**  
30"W x 24"D x 21"H



**MIM600**  
30"W x 24"D x 21"H

*\*Models Shown on a MIB400 storage bin - sold separately*

**Model:**

**MIM452** - Modular Ice Machine; stainless steel exterior

- Produces up to 460 lbs (209 kg) of ice daily



Full Dice Cube

**Model:**

**MIM475H** - Modular Ice Machine; stainless steel exterior

- Produces up to 475 lbs (215 kg) of ice daily



Half Dice Cube

**Model:**

**MIM600** - Modular Ice Machine; stainless steel exterior

- Produces up to 602 lbs (275 kg) of ice daily



Full Dice Cube

**All Models Feature:**

- 30" models can be stacked with addition of an adapter
- Compatible ice storage bin sold separately
- Exterior is constructed of stainless steel
- Automatic cleaning cycle and bin overflow prevention



MODEL #	ICE TYPE	DAILY ICE PRODUCTION (70°F AIR / 50°F WATER)	AMP DRAW (NOMINAL / MAX)	NET WEIGHT / SHIPPING WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MIM452	Full Dice	460 lbs (209 kg)	12.4A / 15.3A	130 lbs (59 kg) 148 lbs (67 kg)	R-404a 24.5 oz (659 g)	115V / 60Hz / 1Ph
MIM475H	Half Dice	475 lbs (215 kg)	12.4A / 15.3A	130 lbs (59 kg) 148 lbs (67 kg)	R-404a 24.5 oz (659 g)	115V / 60Hz / 1Ph
MIM600	Full Dice	602 lbs (275 kg)	7.60A / 9.85A	110 lbs (50 kg) 129 lbs (58.5 kg)	R-404a 45.8 oz (1298 g)	230V / 60Hz / 1Ph



**MIM615H**  
30"W x 24"D x 21"H



**MIM915H**  
30"W x 24"D x 26.63"H



**MIM1000**  
30"W x 24"D x 26.63"H

*\*Models Shown on a MIB400 storage bin - sold separately*

**Model:**

**MIM615H** - Modular Ice Machine; stainless steel exterior

- Produces up to 615 lbs (278 kg) of ice daily



Half Dice Cube

**Model:**

**MIM915H** - Modular Ice Machine; stainless steel exterior

- Produces up to 915 lbs (415 kg) of ice daily



Half Dice Cube

**Model:**

**MIM1000** - Modular Ice Machine; stainless steel exterior

- Produces up to 1000 lbs (454 kg) of ice daily



Full Dice Cube

**All Models Feature:**

- 30" models can be stacked with addition of an adapter
- Compatible ice storage bin sold separately
- Exterior is constructed of stainless steel
- Automatic cleaning cycle and bin overflow prevention



MODEL #	ICE TYPE	DAILY ICE PRODUCTION (70°F AIR / 50°F WATER)	AMP DRAW (NOMINAL / MAX)	NET WEIGHT / SHIPPING WEIGHT	REFRIGERANT AND CHARGE SIZE	ELECTRICAL
MIM615H	Half Dice	615 lbs (278 kg)	7.60A / 9.85A	155 lbs (70 kg) 165 lbs (75 kg)	R-404a 43 oz (1219 g)	230V / 60Hz / 1Ph
MIM915H	Half Dice	915 lbs (415 kg)	9.2A / 11.3A	194 lbs (88 kg) 208 lbs (94 kg)	R-404a 57.14 oz (1620 g)	230V / 60Hz / 1Ph
MIM1000	Full Dice	1000 lbs (454 kg)	9.2A / 11.3A	194 lbs (88 kg) 208 lbs (94 kg)	R-404a 57.9 oz (1641 g)	230V / 60Hz / 1Ph



**MIDX200**  
30"W x 32.3"D x 53"H  
*(Shown with modular ice machine, sold separately)*



**MB310N**  
22"W x 34"D x 41.4"H



**MIB470N**  
30"W x 34"D x 41.4"H



**MIB580N**  
30"W x 34"D x 50"H

**Model:**

**MIDX200** - Hotel Ice Dispenser; stainless steel exterior, black trim

**Features:**

- Ice storage up to 190 lbs (86 kg)
- Stainless steel exterior with rounded corners
- Easy push button operation dispenses all types of ice
- Regular timed agitator/dispensing system prevents ice clumping
- Large drain pan to collect ice overflow
- Dispensing area accommodates most ice buckets
- Compatible with 30" wide ice machines
- Constructed of stainless steel and urethane foam insulate cabinet



**Models:**

**MIB310N** - Ice Storage Bin; stainless steel exterior, black trim

**MIB470N** - Ice Storage Bin; stainless steel exterior, black trim

**MIB580N** - Ice Storage Bin; stainless steel exterior, black trim

**Features:**

- Storage capacity from 310 lbs (141 kg) to 580 lbs (263 kg)
- Exterior is constructed of durable stainless steel with black trim door
- LED illuminated bin interior when access door is open (powered by ice machine head)
- Polyethylene bin liner for improved sanitation
- Constructed of non-CFC polyurethane foamed in-place insulation
- 3/4" gravity drain is required



MODEL #	AMP DRAW (NOMINAL / MAX)	SHIPPING WEIGHT	OPERATING TEMPERATURE RANGE	ELECTRICAL
MIDX200	2.1A	230 lbs (104 kg)	45°F to 90°F (7°C to 32°C)	115V / 60Hz / 1Ph

MODEL #	MAXIMUM ICE STORAGE CAPACITY	AHRI CAPACITY	SHIPPING WEIGHT	DRAIN LINE CONNECTION
MIB310N <i>Formerly MIB280N</i>	310 lbs (141 kg)	246 lbs (112 kg)	99.5 lbs (45 kg)	3/4"
MIB470N <i>Formerly MIB430N</i>	470 lbs (213 kg)	376 lbs (171 kg)	117 lbs (53 kg)	3/4"
MIB580N	580 lbs (263 kg)	464 lbs (210 kg)	164 lbs (75 kg)	3/4"



**MIB400**  
30"W x 34"D x 37"H



**MIB580**  
30"W x 34"D x 50"H



**BIN650**  
42"W x 35"D x 41"H



**BIN950**  
48"W x 31.75"D x 50"H

**Models:**

**MIB400** - Ice Storage Bin; stainless steel exterior

**MIB580** - Ice Storage Bin; stainless steel exterior

**Features:**

- Storage capacity from 400 lbs (213 kg) to 580 lbs (263 kg)
- Bin door and exterior are constructed of durable stainless steel
- Polyethylene bin liner for improved sanitation
- Constructed of non-CFC polyurethane foamed in-place insulation
- 3/4" gravity drain is required

**Models:**

**BIN650** - Ice Storage Bin; stainless steel exterior

**BIN950** - Ice Storage Bin; stainless steel exterior

**Features:**

- Storage capacity from 660 lbs (181 kg) to 950 lbs (431 kg)
- Bin door and exterior are constructed of durable stainless steel
- Polyethylene bin liner for improved sanitation
- Constructed of non-CFC polyurethane foamed in-place insulation
- 3/4" gravity drain is required



MODEL #	MAXIMUM ICE STORAGE CAPACITY	AHRI CAPACITY	SHIPPING WEIGHT	DRAIN LINE CONNECTION
MIB400	400 lbs (213 kg)	320 lbs (145 kg)	112 lbs (50.8 kg)	3/4"
MIB580	580 lbs (263 kg)	464 lbs (210 kg)	164t lbs (75 kg)	3/4"
BIN650	660 lbs (181 kg)	528 lbs (239 kg)	160 lbs (73 kg)	3/4"
BIN950	950 lbs (431 kg)	760 lbs (345 kg)	210 lbs (95 kg)	3/4"